

IDS Data Flow Coordination (2009)

Introduction

Two data centers currently support the archiving and access activities for the IDS:

- Crustal Dynamics Data Information System (CDDIS), NASA GSFC, Greenbelt, MD USA
- Institut Géographique National (IGN), Saint Mandé France

These institutions have archived DORIS data since the launch of TOPEX/Poseidon in 1992.

Flow of IDS Data and Products

The flow of data, products, and information within the IDS is analogous to what is utilized in the other IAG geometric services (IGS, ILRS, IVS) and is shown in Figure 1. IDS data and products are transmitted from their sources to the IDS data centers. DORIS data are downloaded from the satellite at the DORIS control and processing center, SSALTO (Segment Sol multi-missions d'ALTimétrie, d'Orbitographie et de localisation précise) in Toulouse, France. After validation, SSALTO transmits the data to the IDS data centers. IDS analysis centers, as well as other users, retrieve these data files from the data centers and produce products, which in turn are transmitted to the IDS data centers.




Figure 1. Routine flow of data and information for the IAG Geodetic Services

The IDS data centers use a common structure for directories and filenames that was implemented in January 2003. This structure is shown in Table 1 and fully described on the IDS Central Bureau website at http://ids.cls.fr/html/analysis_coord/documents/struct_dc.html. The main directories are:

- */pub/doris/data* (for all data) with subdirectories by satellite code
- */pub/doris/products* (for all products) with subdirectories by product type and analysis center
- */pub/doris/ancillary* (for supplemental information) with subdirectories by information type
- */pub/doris/cb_mirror* (duplicate of CB ftp site) with general information and data and product documentation (maintained by the IDS Central Bureau)

SSALTO and the analysis centers deliver data and products to both IDS data centers (CDDIS and IGN) to ensure redundancy in data delivery in the event one data center is unavailable. The general information available through the IDS Central Bureau ftp site are mirrored by the IDS data centers thus providing users secondary locations for these files as well.

Table 1. Main Directories for IDS Data, Products, and General Information

Directory	File Name	Description
Data Directories		
<i>/doris/data/sss</i>	<i>sssdataMMM.LLL.Z</i> <i>sss.files</i>	DORIS data for satellite <i>sss</i> , cycle number <i>MMM</i> , and version <i>LLL</i> File containing multi-day cycle filenames versus time span for satellite <i>sss</i>
<i>/doris/data/sss/sum</i>	<i>sssdataMMM.LLL.sum.Z</i>	Summary of contents of DORIS data file for satellite <i>sss</i> , cycle number <i>MMM</i> , and file version number <i>LLL</i>
<i>/doris/data/sss/yyyy</i>	<i>sssrxyYDDD.LLL.Z</i>	DORIS data (RINEX format) for satellite <i>sss</i> , date <i>YyDDD</i> , version number <i>LLL</i>
<i>/doris/data/sss/yyyy/sum</i>	<i>sssrxyYDDD.LLL.sum.Z</i>	Summary of contents of DORIS data file for satellite <i>sss</i> , cycle number <i>MMM</i> , and file version number <i>LLL</i>
Product Directories		
<i>/doris/products/orbits/</i>	<i>ccc/ccsssVV.bXXDDD.eYEEEE.sp1.LLL.Z</i>	Satellite orbits in SP1 format from analysis center <i>ccc</i> , satellite <i>sss</i> , solution version <i>VV</i> , start date year <i>XX</i> and day <i>DDD</i> , end date year <i>YY</i> and day <i>EEE</i> , and file version number <i>LLL</i>
<i>/doris/products/sinex_global/</i>	<i>cccWWuVV.snz.Z</i>	Global SINEX solutions of station coordinates for analysis center <i>ccc</i> , year <i>WW</i> , content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i>
<i>/doris/products/sinex_series/</i>	<i>ccc/ccsYDDDtVV.snz.Z</i>	Time series SINEX solutions for analysis center <i>ccc</i> , starting on year <i>YY</i> and day of year <i>DDD</i> , type <i>t</i> (m=monthly, w=weekly, d=daily) solution, content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i>
<i>/doris/products/stcd/</i>	<i>cccWWtu/ccsWWtuVV.stcd.aaaa.Z</i>	Station coordinate time series SINEX solutions for analysis center <i>ccc</i> , for year <i>WW</i> , type <i>t</i> (m=monthly, w=weekly, d=daily), content <i>u</i> (d=DORIS, c=multi-technique), solution version <i>VV</i> , for station <i>aaaa</i>
<i>/doris/products/geoc/</i>	<i>cccWWtuVV.geoc.Z</i>	TRF origin (geocenter) solutions for analysis center <i>ccc</i> , for year <i>WW</i> , type <i>t</i> (m=monthly, w=weekly, d=daily), content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i>
<i>/doris/products/eop/</i>	<i>cccWWtuVV.eop.Z</i>	Earth orientation parameter solutions for analysis center <i>ccc</i> , for year <i>WW</i> , type <i>t</i> (m=monthly, w=weekly, d=daily), content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i>
<i>/doris/products/iono/</i>	<i>sss/ccsssVV.YYDDD.iono.Z</i>	Ionosphere products for analysis center <i>ccc</i> , satellite <i>sss</i> , solution version <i>VV</i> , and starting on year <i>YY</i> and day of year <i>DDD</i>
<i>/doris/products/2010campaign/ccc/ccsYDDDtVV.ssz.Z</i>		Time series SINEX solutions for analysis center <i>ccc</i> , starting on year <i>YY</i> and day of year <i>DDD</i> , type <i>t</i> (m=monthly, w=weekly, d=daily) solution, content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i> for satellite <i>sss</i>
Information Directories		
<i>/doris/ancillary/quaternions</i>	<i>sss/qbodyYYYYMMDDHHMISS_yyyymmdd</i> <i>hmiss.LLL</i>	Spacecraft body quaternions for satellite <i>sss</i> , start date/time <i>YYYYMMDDHHMISS</i> , end date/time <i>yyymmddhmiss</i> , and version number <i>LLL</i>
	<i>sss/qsolpYYYYMMDDHHMISS_yyyymmddh</i> <i>miss.LLL</i>	Spacecraft solar panel angular positions for satellite <i>sss</i> , start date/time <i>YYYYMMDDHHMISS</i> , end date/time <i>yyymmddhmiss</i> , and version number <i>LLL</i>
<i>/doris/cb_mirror</i>		Mirror of IDS central bureau files

DORIS Data

SSALTO deposits DORIS data to the CDDIS and IGN servers. Software at the data centers scans these incoming data areas for new files and automatically archives the files to public disk

areas using the directory structure and filenames specified by the IDS. The IDS data centers currently archive DORIS data from six operational satellites (SPOT-4, -5, Jason-1, -2, Envisat, and CryoSat-2); data from future missions (e.g., SARAL, etc.) will also be archived within the IDS. Historic data from SPOT-2 (operations ceased in July 2009), SPOT-3, and TOPEX/Poseidon are also available at the data centers. A summary of DORIS data holdings at the IDS data centers is shown in Table 2. The DORIS data from all satellites are archived in multi-day (satellite dependent) files using the DORIS data format 2.1 (since January 15, 2002). The DORIS data files are on average two Mbytes in size (using UNIX compression). SSALTO issues an email notification through DORISReport once data are delivered to the IDS data centers. The number of days per file and average latency in 2010 of data availability after the last observation day satellite specific are shown in Table 3. The delay in data delivery to the data centers (in days by satellite) in 2010 is shown in Figure 2.

Table 2. DORIS Data Holdings

Satellite	Time Span
TOPEX/Poseidon	25-Sep-1992 through 01-Nov-2004
SPOT-2	31-Mar through 04-Jul-1990
	04-Nov-1992 through 14-Jul-2009
SPOT-3	01-Feb-1994 through 09-Nov-1996
SPOT-4	01-May-1998 through present
SPOT-5	11-Jun-2002 through present
Jason-1	15-Jan-2002 through present
Jason-2	12-Jul-2008 through present
CryoSat-2	30-May-2010 through present
Envisat	13-Jun-2002 through present

Table 3. DORIS Data File Information

Satellite	Number of Days/ Multi-Day File	Average Latency (Days)
CryoSat-2	6	36
Envisat	6	27
Jason-1	10	33
Jason-2	10	40
SPOT-4, -5	9	32

DORIS phase data from Jason-2 and CryoSat-2 are also available in RINEX (Receiver Independent Exchange Format), version 3.0. These satellite houses the newer, next generation DORIS instrumentation capable of generating these data in RINEX format; future satellites will also utilize this type of DORIS receiver. These data are forwarded to the IDS data centers in daily files prior to orbit processing within one day (typically) following the end of the observation day.

DORIS Products

IDS analysis centers utilize similar procedures by putting products to the CDDIS and IGN servers. Automated software detects any incoming product files and archives them to the

appropriate product-specific directory. The following analysis centers (ACs) have submitted products on an operational basis to the IDS; their AC code is listed in ():

- European Space Agency (esa), Germany, M. Ottens
- Geoscience Australia (gau), R. Govind
- Geodetic Observatory Pecny (gop), Czech Republic, P. Stepanek
- NASA Goddard Space Flight Center (gsc) USA, F. Lemoine
- Institut Géographique National/JPL (ign) France, P. Willis
- INASAN (ina) Russia, S. Kuzin
- CNES/CLS (lca) France, L. Soudarin
- CNES/SOD (sod) France, J.P. Berthias
- SSALTO (ssa) France, L. Cerri

IDS products are archived by type of solution and analysis center. The types and sources of products available through the IDS data centers in 2005-2009 are shown in Table 4. This table also includes a list of products under evaluation from several DORIS analysis centers.




Figure 2. Delay in delivery of DORIS data to the CDDIS (all satellites, 01-12/2009)

The IDS Analysis Working Group proposed to conduct a special analysis campaign to isolate the differences between AC solutions found during the creation of the IDS combined solution. For this study, several AC submitted single-satellite SINEX files for 2009. These files were archived at the IDS data centers in subdirectories by AC.

Table 4. IDS Product Types and Contributing Analysis Centers

Type of Product	ACs/Products								
	ESA	GAU	GOP	GSC	IGN	INA	LCA	SSA	SOD
Time series of SINEX solutions (<i>sinex_series</i>)	X(W)	X(W)	X(W)	X(W)	X(W,M)	X(W,M)	X(W,M)	X(W,M)	X(W)
Global SINEX solutions (<i>sinex_global</i>)					X		X		
Geocenter time series (<i>geoc</i>)					X	X	X		
Orbits/satellite (<i>orbits</i>)				X			X		
Ionosphere products/satellite (<i>iono</i>)								X	
Time series of EOP (<i>eop</i>)					X	X			
Time series of station coordinates (<i>stcd</i>)					X(W)	X(W)	X(W,M)	X(W)	
Time series of SINEX solutions (2010campaign)		X(W)	X(W)	X(W)	X(W)	X(W)	X(W)		

Notes: W=weekly solution
M=monthly solution

Supplementary DORIS Information

In 2009 an additional directory structure was installed at the IDS data centers containing ancillary information for DORIS data and product usage. Files of Jason-1 and -2 satellite attitude information were made available through the IDS data centers . Two types of files are available for each satellite: attitude quaternions for the body of the spacecraft and solar panel angular positions. The files are delivered daily and contain 28 hours of data, with 2 hours overlapping between consecutive files. Analysts can use these files in processing DORIS data to determine satellite orientation and attitude information.

Future Plans

The IDS data centers will investigate procedures to regularly compare holdings of data and products to ensure that the archives are truly identical.

IDS Data Centers (2010)

Crustal Dynamics Data Information System (CDDIS)

The CDDIS is a dedicated data center supporting the international space geodesy community since 1982. The CDDIS serves as one of the primary data centers for the following IAG services:

- International GNSS Service (IGS)
- International Laser Ranging Service (ILRS)
- International VLBI Service for Geodesy and Astrometry (IVS)
- International DORIS Service (IDS)
- International Earth Rotation and Reference Frame Service (IERS)

The CDDIS automated software archives data submitted by SSALTO and performs minimal quality-checks (e.g., file readability, format compliance) resulting in a summary file for each data file. Software extracts metadata from all incoming DORIS data. These metadata include satellite, time span, station, and number of observations per pass. The metadata are loaded into a database and utilized to generate data holding reports on a daily basis. Approximately 45 Gbytes of CDDIS disk space is devoted to the archive of DORIS data, products, and information.

In June 2010 the CDDIS transitioned operations to a new distributed server environment. Users continued to access the CDDIS as before; however, suppliers of data and product files were required to use a new server dedicated to incoming file processing. The structure of the DORIS data and product archive remained unchanged in this new system configuration.

During 2010, user groups in over 50 countries downloaded approximately 260 Gbytes (250K files) of DORIS data, products, and information from the CDDIS.

Future Plans

The CDDIS staff will continue to interface with the IDS CB, SSALTO, and IDS analysis centers to ensure reliable flow of DORIS data, products, and information. Enhancements and modifications to the data center will be made in coordination with the IDS CB.

Contact

Carey Noll, CDDIS Manager
NASA GSFC
Code 690.1
Greenbelt, MD 20771
USA

Email: Carey.Noll@nasa.gov
Voice: 301-614-6542
Fax: 301-614-6015
ftp: <ftp://cddis.gsfc.nasa.gov/pub/doris>
WWW: <http://cddis.gsfc.nasa.gov>