

IDS Data Flow Coordination (2012)

Introduction

Two data centers currently support the archiving and access activities for the IDS:

- Crustal Dynamics Data Information System (CDDIS), NASA GSFC, Greenbelt, MD USA
- Institut Géographique National (IGN), Marne la Vallee France

These institutions have archived DORIS data since the launch of TOPEX/Poseidon in 1992.

Flow of IDS Data and Products

The flow of data, products, and information within the IDS is similar to what is utilized in the other IAG geometric services (IGS, ILRS, IVS) and is shown in Figure 1. IDS data and products are transmitted from their sources to the IDS data centers. DORIS data are downloaded from the satellite at the DORIS control and processing center, SSALTO (Segment Sol multi-missions d'ALTimétrie, d'Orbitographie et de localisation précise) in Toulouse, France. After validation, SSALTO transmits the data to the IDS data centers. IDS analysis centers, as well as other users, retrieve these data files from the data centers and produce products, which in turn are transmitted to the IDS data centers.




Figure 1. Routine flow of data and information for the IAG Geodetic Services

The IDS data centers use a common structure for directories and filenames that was implemented in January 2003. This structure is shown in Table 1 and fully described on the IDS Central Bureau website at <http://ids-doris.org/analysis-documents/struct-dc.html>. The main directories are:

- */pub/doris/data* (for all data) with subdirectories by satellite code
- */pub/doris/products* (for all products) with subdirectories by product type and analysis center
- */pub/doris/ancillary* (for supplemental information) with subdirectories by information type
- */pub/doris/cb_mirror* (duplicate of CB ftp site) with general information and data and product documentation (maintained by the IDS Central Bureau)

SSALTO and the analysis centers deliver data and products to both IDS data centers (CDDIS and IGN) to ensure redundancy in data delivery in the event one data center is unavailable. The general information available through the IDS Central Bureau ftp site are mirrored by the IDS data centers thus providing users secondary locations for these files as well.

Table 1. Main Directories for IDS Data, Products, and General Information

Directory	File Name	Description
Data Directories		
<i>/doris/data/sss</i>	<i>sssdataMMM.LLL.Z</i> <i>sss.files</i>	DORIS data for satellite <i>sss</i> , cycle number <i>MMM</i> , and version <i>LLL</i> File containing multi-day cycle filenames versus time span for satellite <i>sss</i>
<i>/doris/data/sss/sum</i>	<i>sssdataMMM.LLL.sum.Z</i>	Summary of contents of DORIS data file for satellite <i>sss</i> , cycle number <i>MMM</i> , and file version number <i>LLL</i>
<i>/doris/data/sss/yyyy</i>	<i>ssstrxYYDDD.LLL.Z</i>	DORIS data (RINEX format) for satellite <i>sss</i> , date <i>YYDDD</i> , version number <i>LLL</i>
<i>/doris/data/sss/yyyy/sum</i>	<i>ssstrxYYDDD.LLL.sum.Z</i>	Summary of contents of DORIS data file for satellite <i>sss</i> , cycle number <i>MMM</i> , and file version number <i>LLL</i>
Product Directories		
<i>/doris/products/orbits/</i>	<i>ccc/cccssVV.bXXDDD.eYEEEE.sp1.LLL.Z</i>	Satellite orbits in SP1 format from analysis center <i>ccc</i> , satellite <i>sss</i> , solution version <i>VV</i> , start date year <i>XX</i> and day <i>DDD</i> , end date year <i>YY</i> and day <i>EEE</i> , and file version number <i>LLL</i>
<i>/doris/products/sinex_global/</i>	<i>cccWWuVV.snz.Z</i>	Global SINEX solutions of station coordinates for analysis center <i>ccc</i> , year <i>WW</i> , content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i>
<i>/doris/products/sinex_series/</i>	<i>ccc/ccYYDDDtVV.snz.Z</i>	Time series SINEX solutions for analysis center <i>ccc</i> , starting on year <i>YY</i> and day of year <i>DDD</i> , type <i>t</i> (m=monthly, w=weekly, d=daily) solution, content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i>
<i>/doris/products/stcd/</i>	<i>cccWWtu/ccWWtuVV.stcd.aaaa.Z</i>	Station coordinate time series SINEX solutions for analysis center <i>ccc</i> , for year <i>WW</i> , type <i>t</i> (m=monthly, w=weekly, d=daily), content <i>u</i> (d=DORIS, c=multi-technique), solution version <i>VV</i> , for station <i>aaaa</i>
<i>/doris/products/geoc/</i>	<i>cccWWtuVV.geoc.Z</i>	TRF origin (geocenter) solutions for analysis center <i>ccc</i> , for year <i>WW</i> , type <i>t</i> (m=monthly, w=weekly, d=daily), content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i>
<i>/doris/products/eop/</i>	<i>cccWWtuVV.eop.Z</i>	Earth orientation parameter solutions for analysis center <i>ccc</i> , for year <i>WW</i> , type <i>t</i> (m=monthly, w=weekly, d=daily), content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i>
<i>/doris/products/iono/</i>	<i>sss/cccssVV.YYDDD.iono.Z</i>	Ionosphere products for analysis center <i>ccc</i> , satellite <i>sss</i> , solution version <i>VV</i> , and starting on year <i>YY</i> and day of year <i>DDD</i>
<i>/doris/products/2010campaign/</i>	<i>ccc/ccYYDDDtVV.ssz.Z</i>	Time series SINEX solutions for analysis center <i>ccc</i> , starting on year <i>YY</i> and day of year <i>DDD</i> , type <i>t</i> (m=monthly, w=weekly, d=daily) solution, content <i>u</i> (d=DORIS, c=multi-technique), and solution version <i>VV</i> for satellite <i>sss</i>
Information Directories		
<i>/doris/ancillary/quaternions</i>	<i>sss/qbodyYYYYMMDDHHMISS_yyyymmdd</i> <i>hmiss.LLL</i>	Spacecraft body quaternions for satellite <i>sss</i> , start date/time <i>YYYYMMDDHHMISS</i> , end date/time <i>yyymmddhmiss</i> , and version number <i>LLL</i>
	<i>sss/qsolpYYYYMMDDHHMISS_yyyymmddh</i> <i>miss.LLL</i>	Spacecraft solar panel angular positions for satellite <i>sss</i> , start date/time <i>YYYYMMDDHHMISS</i> , end date/time <i>yyymmddhmiss</i> , and version number <i>LLL</i>
<i>/doris/cb_mirror</i>		Mirror of IDS central bureau files

DORIS Data

SSALTO deposits DORIS data to the CDDIS and IGN servers. Software at the data centers scans these incoming data areas for new files and automatically archives the files to public disk areas

using the directory structure and filenames specified by the IDS. The IDS data centers currently archive DORIS data from six operational satellites (SPOT-4, -5, Jason-1, -2, CryoSat-2, and HY-2A); data from future missions (e.g., SARAL, etc.) will also be archived within the IDS. Historic data from SPOT-2, SPOT-3, TOPEX/Poseidon, and Envisat (mission ended in April 2012) are also available at the data centers. A summary of DORIS data holdings at the IDS data centers is shown in Table 2. The DORIS data from all satellites are archived in multi-day (satellite dependent) files using the DORIS data format 2.1 (since January 15, 2002). This format of DORIS data files is on average two Mbytes in size (using UNIX compression). SSALTO issues an email notification through DORISReport once data are delivered to the IDS data centers. The number of days per file and average latency in 2012 of data availability after the last observation day satellite specific are shown in Table 3. The delay in data delivery to the data centers (in days by satellite) in 2012 is shown in Figure 2.

Table 2. DORIS Data Holdings

Satellite	Time Span
CryoSat-2	30-May-2010 through present
Envisat	13-Jun-2002 through 08-Apr-2012
HY-2A	01-Oct-2011 through present
Jason-1	15-Jan-2002 through present
Jason-2	12-Jul-2008 through present
SPOT-2	31-Mar through 04-Jul-1990
	04-Nov-1992 through 14-Jul-2009
SPOT-3	01-Feb-1994 through 09-Nov-1996
SPOT-4	01-May-1998 through present
SPOT-5	11-Jun-2002 through present
TOPEX/Poseidon	25-Sep-1992 through 01-Nov-2004

Table 3. DORIS Data File Information (V2.1 format)

Satellite	Number of Days/ Multi-Day File	Average Latency (Days)	Average File Size (Mb)
CryoSat-2	7	25	2.7
Envisat	6	26	1.9
HY-2A	7	29	3.1
Jason-1	11	27	3.5
Jason-2	11	28	6.1
SPOT-4	10	19	1.5
SPOT-5	10	19	2.6

DORIS phase data from Jason-2, CryoSat-2, and HY-2A are also available in RINEX (Receiver Independent Exchange Format), version 3.0. These satellites have the newer, next generation DORIS instrumentation on board, which is capable of generating DORIS data in RINEX format; future satellites will also utilize this type of DORIS receiver. These data are forwarded to the IDS data centers in daily files prior to orbit processing within one day (typically) following the end of the observation day. The average file size of the RINEX data files is 1.6 Mbytes, 1.8Mbytes, and 2.5 Mbytes for CryoSat-2, HY-2A, and Jason-2 respectively.

In the fall of 2012, the IDS Analysis Working Group requested a test data set where data from stations in the South Atlantic Anomaly (SSA) were reprocessed by applying corrective models.

Data from 2011 in DORIS V2.2 format from the Jason-1 satellite (cycles 331 through 368) were submitted to the IDS data centers in late 2012; a set of 2011 SPOT-5 data (cycles 322 through 358) will be provided in early 2013. These files were submitted to the IDS data centers and archived in dedicated directories, e.g., at CDDIS:

ftp://cddis.gsfc.nasa.gov/pub/doris/campdata/ssacorection/ja1
ftp://cddis.gsfc.nasa.gov/pub/doris/campdata/ssacorection/sp5




Figure 2. Delay in delivery of DORIS data to the CDDIS (all satellites, 01-12/2012)

DORIS Products

IDS analysis centers utilize similar procedures by putting products to the CDDIS and IGN servers. Automated software detects any incoming product files and archives them to the appropriate product-specific directory. The following analysis centers (ACs) have submitted products on an operational basis to the IDS; their AC code is listed in ():

- European Space Agency (esa), Germany
- Geoscience Australia (gau)
- Geodetic Observatory Pecny (gop), Czech Republic
- NASA Goddard Space Flight Center (gsc) USA
- Institut Géographique National/JPL (ign) France
- INASAN (ina) Russia

- CNES/CLS (lca) France
- CNES/SOD (sod) France
- SSALTO (ssa) France

A solution (designated “ids”) produced by the IDS combination center from the individual IDS AC solutions started production in 2012. IDS products are archived by type of solution and analysis center. The types and sources of products available through the IDS data centers in 2005-2012 are shown in Table 4. This table also includes a list of products under evaluation from several DORIS analysis centers.

Table 4. IDS Product Types and Contributing Analysis Centers

Type of Product	ACs/Products									
	ESA	GAU	GOP	GSC	IDS	IGN	INA	LCA	SOD	SSA
Time series of SINEX solutions (<i>sinex_series</i>)	X	X	X	X	X	X	X	X	X	X
Global SINEX solutions (<i>sinex_global</i>)						X		X		
Geocenter time series (<i>geoc</i>)						X	X	X		
Orbits/satellite (<i>orbits</i>)				X				X		X
Ionosphere products/satellite (<i>iono</i>)										X
Time series of EOP (<i>eop</i>)						X	X			
Time series of station coordinates (<i>stcd</i>)					X	X	X	X		X
Time series of SINEX solutions (2010campaign)		X	X	X		X	X	X		

Supplementary DORIS Information

In 2009 an additional directory structure was installed at the IDS data centers containing ancillary information for DORIS data and product usage. Files of Jason-1 and -2 satellite attitude information were made available through the IDS data centers. Two types of files are available for each satellite: attitude quaternions for the body of the spacecraft and solar panel angular positions. The files are delivered daily and contain 28 hours of data, with 2 hours overlapping between consecutive files. Analysts can use these files in processing DORIS data to determine satellite orientation and attitude information.

Future Plans

The CDDIS and IGN provide reports that list holdings of DORIS data in the DORIS format. Daily summary reports of data in RINEX format will be drafted and posted at the data centers in the coming months. The IDS data centers will also investigate procedures to regularly compare holdings of data and products to ensure that the archives are truly identical.

IDS Data Centers (2012)

Crustal Dynamics Data Information System (CDDIS)

The CDDIS is a dedicated data center supporting the international space geodesy community since 1982. The CDDIS serves as one of the primary data centers for the following IAG services:

- International GNSS Service (IGS)
- International Laser Ranging Service (ILRS)
- International VLBI Service for Geodesy and Astrometry (IVS)
- International DORIS Service (IDS)
- International Earth Rotation and Reference Frame Service (IERS)

The CDDIS automated software archives data submitted by SSALTO and performs minimal quality-checks (e.g., file readability, format compliance) resulting in a summary file for each data file. Software extracts metadata from all incoming DORIS data. These metadata include satellite, time span, station, and number of observations per pass. The metadata are loaded into a database and utilized to generate data holding reports on a daily basis. Approximately 55 Gbytes of CDDIS disk space is devoted to the archive of DORIS data, products, and information.

In the spring 2012 the CDDIS began operations on an enhanced, robust, distributed server system. Both users and data/product suppliers continue to access the CDDIS as before. The structure of the DORIS data and product archive remained unchanged in this new system configuration.

During 2012, user groups downloaded approximately 406 Gbytes (500K files) of DORIS data, products, and information from the CDDIS.

Future Plans

The CDDIS staff will continue to interface with the IDS CB, SSALTO, and IDS analysis centers to ensure reliable flow of DORIS data, products, and information. Enhancements and modifications to the data center will be made in coordination with the IDS CB.

Contact

Carey Noll, CDDIS Manager
NASA GSFC
Code 690.1
Greenbelt, MD 20771
USA

Email: Carey.Noll@nasa.gov
Voice: 301-614-6542
Fax: 301-614-6015
ftp: <ftp://cddis.gsfc.nasa.gov/pub/doris>
WWW: <http://cddis.gsfc.nasa.gov>